

レマイトン Since1968 The Conservancy Association 會址: 香港新界葵涌貨櫃碼頭路 77-81 號 Magnet Place 一期 13 樓 1305-6 室 Add.: Units 1305-6, 13/F, Tower 1, Magnet Place, 77-81 Container Port Road, Kwai Chung, New Territories, H.K. 網址 Website:www.cahk.org.hk

電話 Tel.:(852)2728 6781 停真 Fax.:(852)2728 5538 電子郵件 E-mail:cahk@cahk.org.hk

7<sup>th</sup> January 2022

Town Planning Board 15/F North Point Government Offices 333 Java Road North Point Hong Kong

By e-mail: tpbpd@pland.gov.hk

Dear Sir/Madam,

## RE: Comments on the Section 16 Application No. A/SK-PL/1

In spite of the further information provided by the applicant, we consider our comments and concerns stated in the previous submission dated  $16^{th}$  July 2021 and  $17^{th}$  November 2021 are still valid. The Conservancy Association (CA) would remain our objection to the captioned Section 16 application. Please refer to our previous objection (Appendix).

We wish to add the following points:

- 1. Regarding the further information of Ecological Impact Assessment (EcoIA), we noted that a 625m<sup>2</sup> temporary on-site nursery will be designated. However, the applicant did not provide detailed information of the nursery, such as construction methods, areas of paved/unpaved surface, location and size of aerated water tanks, etc..
- 2. According to Response to Comments document, the applicant claimed that "*The effluent will pass through and be polished by proposed WRA before discharge to the existing stream at the western side of the Application Site*". We worry that several scenario stated below have not been tackled in full:
  - If the Sewage Treatment Plant (STP) cannot be operated accordingly, untreated effluent would cause contamination to the proposed WRA.
  - As the the proposed WRA does not serve the function to treat effluent, effluent passing through the proposed WRA would still be untreated before discharge to the existing stream. Contamination on existing stream would be resulted, causing serious environmental pollution and hygiene problems.

Yours faithfully, Chow Oi Chuen Campaign Officer





電話 Tel.:(852)2728 6781 傳真 Fax.:(852)2728 5538 電子郵件 E-mail:cahk@cahk.org.hk

The Conservancy Association